
United Nations A/57/270/Corr.1



Distr.: General 27 September 2002

Original: English

Fifty-seventh session

Agenda item 44

Follow-up to the outcome of the Millennium Summit

Implementation of the United Nations Millennium Declaration

Report of the Secretary-General

Corrigendum

1. Paragraph 41

The second sentence should read:

East Asia has been quite successful in reducing the proportion of people who suffer from **hunger**, while Africa's malnutrition rate has hardly budged.

2. Paragraph 111

The last sentence should read:

This is why I intend to submit to the General Assembly in September 2002 a report that will propose further programmatic, institutional and process improvements, so that we can translate the ambitious template of the Declaration into an achievable agenda of action.

3. Annex table, goal 6

Replace the text of goal 6 by the following:

Goals and targets	Indi	cators	1990	2000 a,b	Unit of measure
Goal 6. Combat HIV/AIDS, m	alari	a and other diseases			
Target 7. Have halted by 2015 and begun to reverse the spread of HIV/AIDS	18.	HIV prevalence among pregnant women aged 15 to 24 years	n.a.	n.a.	
		Estimates of HIV prevalence among young people aged 15 to 24 years			(Earliest available global figures are for 1999 and most recent available global figures are for 2001.)
		World	1.0	1.1	Percentage, total
			0.7	0.8	Percentage, men
			1.2	1.4	Percentage, women
					(For regional breakdowns, the only available data were for 1999.)
		Developed regions	n.a.	0.2	Percentage, total
		Europe	n.a.	0.2	Percentage, total
		Developing regions	n.a.	1.1	Percentage, total
		Africa	n.a.	5.1	Percentage, total
		Northern Africa	n.a.	0.02	Percentage, total
		Sub-Saharan Africa	n.a.	6.3	Percentage, total
		Latin America and the Caribbean	n.a.	0.5	Percentage, total
		Asia	n.a.	0.2	Percentage, total
		Eastern Asia	n.a.	0.1	Percentage, total
		South-central Asia	n.a.	0.3	Percentage, total
		South-eastern Asia	n.a.	0.4	Percentage, total
		Western Asia	n.a.	0.01	Percentage, total
		Oceania	n.a.	0.2	Percentage, total
	19.	Condom use rate of the contraceptive prevalence rate ^h			Percentage
		World	n.a.	7	
		Contraceptive prevalence rate			
		World	57	67	
	20.	Number of children orphaned by HIV/AIDS ⁱ			Millions
		Total, three regions (88 countries)	0.9	13.4	(Most recent available figures
		Africa	0.8	11.0	are for 2001.)
		Asia	0.007	1.8	
		Latin America and the Caribbean	0.054	0.6	

Goals and targets	Indi	icators	1990	2000 ^{a,b}	Unit of measure
Target 8. Have halted by 2015 and begun to reverse the incidence of malaria and other major diseases	21.	Prevalence and death rates associated with malaria			
		World prevalence rate	n.a.	n.a.	
		World death rate	n.a.	148	Deaths per 100,000 children aged 0 to 4 years
		Developed countries	n.a.	0	
		Developing countries	n.a.	166	
		Africa			
		Northern Africa	n.a.	47	
		Sub-Saharan Africa	n.a.	791	
		Asia			
		Eastern Asia	n.a.	0	
		South-central Asia	n.a.	6	
		South-eastern Asia	n.a.	2	
		Western Asia	n.a.	26	
		Latin America and the Caribbean	n.a.	1	
		Oceania	n.a.	2	
	22.	Proportion of population in malaria- risk areas using effective malaria prevention and treatment measures ^j			Percentage
		World	n.a.	n.a.	(No global figures are available for prevention and treatment.)
		21 African countries	n.a.	<5	(Prevention.)
		14 African countries	n.a.	50	(Treatment of children with fever.)
	23.	Prevalence and death rates associated with tuberculosis			
		World prevalence rate	n.a.	123	Prevalence per 100,000 population
		Developed countries	n.a.	24	
		Developing countries	n.a.	147	
		Africa	n.a.	187	
		Northern Africa	n.a.	27	
		Sub-Saharan Africa	n.a.	223	
		Asia	n.a.	153	
		Eastern Asia	n.a.	88	
		South-central Asia	n.a.	196	
		South-eastern Asia	n.a.	239	
		Western Asia	n.a.	42	
		Latin America and the Caribbean	n.a.	44	
		Oceania	n.a.	217	

A/57/270/Corr.1

Goals and targets	Indicators	1990	2000 a,b	Unit of measure
	World death rate	n.a.	28	Deaths per 100,000 population
	Developed countries	n.a.	5	
	Developing countries	n.a.	33	
	Africa			
	Northern Africa	n.a.	5	
	Sub-Saharan Africa	n.a.	62	
	Asia			
	Eastern Asia	n.a.	19	
	South-central Asia	n.a.	40	
	South-eastern Asia	n.a.	49	
	Western Asia	n.a.	11	
	Latin America and the Caribbean	n.a.	11	
	Oceania	n.a.	44	
	24. Proportion of tuberculosis cases detected and cured under directly observed treatment short course	11	27	Percentage detected (earliest available figures are from 1995).
		77	80	Percentage cured (earliest available figures are from 1995).

4. Annex table, goal 7

Note k should read Global figures.