



**Economic and Social
Council**

Distr.
GENERAL

TRADE/WP.7/GE.11/2003/6
24 February 2003

ORIGINAL : ENGLISH

ECONOMIC COMMISSION FOR EUROPE

COMMITTEE FOR TRADE, INDUSTRY AND
ENTERPRISE DEVELOPMENT

Working Party on Agricultural Quality Standards

Specialized Section on Standardization of Meat
12th Session, 6-9 May 2003, Geneva

Item 5(b) of the provisional agenda

**Chapters 1 to 4 of the proposed editorial revision of the
UNECE Standard for Bovine Carcasses and Cuts**

Note by the secretariat: In this document the secretariat presents a proposal for an editorial revision of the UNECE Standard for Bovine Carcasses and Cuts. The text has been reorganised to avoid duplications and to integrate the general requirements with the bovine specific text, which should make the text easier to read and to use.

UNECE STANDARD FOR BOVINE CARCASSES AND CUTS

1. INTRODUCTION

1.1 UNECE Standards for Meat

1.1.1 The purpose of this Standard is to facilitate trade by recommending an international language for bovine carcasses and cuts marketed as fit for human consumption. This language describes bovine meat items commonly traded internationally and defines a coding system for communication and electronic trade. This document will be updated regularly, therefore meat industry members who believe that additional items are needed or that existing items are inaccurate or no longer being traded are encouraged to contact:

Agricultural Standards Unit

UNECE Trade Division

Palais des Nations, CH – 1211 Geneva 10, SWITZERLAND

Tel: (41) 22 917 2450, Fax: (41) 22 917 0629

E-mail: agristandards@unece.org

1.1.2 The text of this publication has been developed under the auspices of the Specialized Section on Standardization of Meat of the United Nations Economic Commission for Europe. It is part of a series of meat standards which UNECE has developed or is planning to develop.

The following table gives an overview of the meat species/class categories for which standards exist/or are in different stages of development. The table also contains the species code for use in the UNECE code for meat (see chapter 4).

Meat species/ class category	Use Code in the UNECE code for meat (see chapter 4)	Publication/adoption details
Beef – Bovine	1	Adopted 2000. This second edition editorially revised and corrected published 2003
Veal	2	To be developed
Pork meat – Porcine	3	Adopted 1998.
Sheep meat – Ovine	4	Adopted 2002.
Goat meat – Caprine	5	To be developed
Other Mammalian meats and processed meat products	6	To be developed
Chicken meat	7	Under development, planned for 2004
Turkey meat	8	To be developed
Other poultry products	9	To be developed

1.1.3 Following the recommendation of the Specialized Section, the Working Party on Standardization of Perishable Produce and Quality Development adopted this text at its 56th session (Reference: TRADE/WP.7/2000/11)

1.2 Acknowledgement

The UNECE Specialized Section on Standardization of Meat would like to acknowledge the contributions of the following delegations during the development of this publication:

Argentina	Italy
Australia	Japan
Austria	Lithuania
Bolivia	Netherlands
Brazil	New Zealand
Canada	Paraguay
China	Poland
EAN International	Russian Federation
European Union	Slovakia
Finland	Spain
France	Switzerland
Germany	United Kingdom
Greece	United States of America
Hungary	Uruguay

The UNECE Specialized Section would like to acknowledge the special contribution of AUS-MEAT for the publication of the first edition of this standard and for providing the photographs in this publication.

1.3 Scope and application

1.3.1 This standard provides a variety of options to purchasers for meat handling, packing and packaging and conformity assessment, which conform to good commercial practice for meat and meat products, intended to be sold in international trade. Contractors are responsible for delivering products that comply with all contractual and specification requirements and are advised to set up a quality control system designed to assure compliance.

1.3.2 For assurance that items comply with these detailed requirements, buyers may choose to use the services of an independent, unbiased third-party to ensure product compliance with a purchaser's specified options. The standard includes photographs of carcasses and selected commercial cuts to facilitate a better understanding of the provisions with a view to ensuring a wide application in international trade.

1.3.3 It is recognized that additional requirements of food standardization and veterinary control must be complied with to market **ovine product** across international borders. The standard does not attempt to prescribe those aspects, which are covered elsewhere, and throughout the standard, such provisions are left for national or international legislation, or requirements of the importing country.

1.3.4 The standard contains references to other international agreements, standards and codes of practice which have the objective of maintaining the quality after dispatch and of providing guidance to governments on certain aspects of food hygiene, labelling and other matters which fall outside the scope of this Standard. *Codex Alimentarius Commission Standards, Guidelines, and Codes of Practice*, should be consulted as the competent international reference concerning health and sanitation requirements.

2 CONDITION OF THE MEAT

2.1 All meat must originate from animals slaughtered in establishments regularly operated under the applicable regulations pertaining to food safety and inspection.

2.2 Carcasses/cuts must be:

- 2.2.1 Intact, taking into account the presentation.
- 2.2.2 Free from visible blood clots, or bone dust.
- 2.2.3 Free from any visible foreign matter (e.g. dirt, wood, metal particles ¹).
- 2.2.4 Free of offensive odours.
- 2.2.5 Free of obtrusive bloodstains.
- 2.2.6 Free of unspecified protruding or broken bones.
- 2.2.7 Free of contusions. ²
- 2.2.8 Free from freezerburn. ³

2.3 Cutting, trimming, and boning of cuts shall be accomplished with sufficient care to maintain cut integrity and identity, and avoid (**excessive**) scores in the lean. Ragged edges shall be removed close to the lean surfaces. Except for cuts that are separated through natural seams, all cross-sectional surfaces shall form approximate right angles with the skin surface. Minimal amounts of lean, fat, or bone shall be included on a cut from an adjacent cut. For boneless cuts, all bones, cartilage, and surface lymph glands shall be removed.

3 PURCHASER SPECIFIED REQUIREMENTS

The following subsections define the purchaser specified requirements together with their use codes to be used in the UNECE code for bovine carcasses and cuts. Provisions 3.1, 3.2 and 3.3 are mandatory, the others are optional.

3.1 Species/Class

The code for bovine for data field 1 as defined in 1.1.2 is 1.

3.2 Cut

The cut codes from 0000 to 9999 for data field 2 are defined in Chapter 5.

3.3 Refrigeration

Meat may be presented chilled, frozen or deep-frozen. Ambient temperatures should be such throughout the supply chain to ensure uniform internal product temperatures as follows:

Refrigeration code (Data Field 11)	Category	Description
1	Chilled	Product maintained at not less than -1.5°C or more than +7°C at any time following the post-slaughter chilling process.

¹ When specified by the purchaser, meat items will be subject to metal particle detection.

² Contusions having a material impact on any product are not permitted.

³ Freezer-burn is localized or widespread areas of irreversible surface dehydration indicated, in part or all, by changes from original colour (usually paler), flavour (flavourless), smell (rancid), and / or tactile properties (dry, spongy).

2	Frozen	Product maintained at not exceeding –12°C at any time after freezing
3	Deep frozen	Product maintained at not exceeding –18°C at any time after freezing.
4	Other	

3.4 Production History

3.4.1 Traceability

The requirements concerning production history that may be specified by the purchaser require traceability systems to be in place. Traceability requires a verifiable method of identification of bovine animals, carcasses, cartons and cuts at all stages of production. The identification numbers must be applied and recorded correctly guaranteeing a link between them. If used, traceability procedures must be agreed on by the Authority for Conformity Assessment referred to in paragraph 3.5.

Example: The EAN•UCC System (see also 4.3) provides global language of traceability by means of multi-industry standards for identification and communication for products, services and locations. They may be used by organizations for traceability purposes across the supply chain to track and trace beef products between the farm and retail outlets. For information on using the EAN•UCC System please refer to the “Traceability of Beef” guidelines obtainable from EAN International or national EAN organizations.

3.4.2 Bovine Category

The standard provides for the categorization of beef into ~~eight~~ seven categories:

Bovine category code (data field 3)	Category	Description
0	Not specified	No category specified.
1	Intact male	evidence of sex traits, greater than 24 months
2	Young intact male	Less than 24 months
3	Steer	young castrate
4	Heifer	young female, uncalved
5	Steer and/or Heifer	
6	Cow(Text??)
7	Young bovine	6-12 months
8	Not defined	<u>[Not defined – young cow and old cow was replaced by cow]</u>

3.4.3 Production and feeding system

Production and feeding system code (data field 4)	Category	Description
0	Not Specified	No system specified.
1	Intensive systems	Production methods which include restricted stocking,

		housing and feeding regimes developed to promote rapid growth. Specific standards need to be defined between buyer and seller.
2	Extensive systems	Production methods which include relatively unrestricted access to natural forage, ' <i>forage fed</i> ', for the majority of the animals' lives. Specific standards need to be defined between buyer and seller.
3	Organic systems	Production methods which follow internationally recognized standards or national standards if they are more restrictive. Specific standards need to be defined between buyer and seller
4	Husbandry systems	Systems that control specific animal treatments (such as Hormonal Growth Promotants) which follow internationally recognized standards or national standards if they are more restrictive.
5	Other systems	To be described by the seller.

3.4.4 Slaughter Systems

Slaughter system code (data field 6)	Category	Description
0	Not specified	No slaughter system specified.
1	Traditional	[Stunning prior to bleeding is the accepted traditional system (this text sounds very clumsy - needs to be reviewed)]
2	Kosher	Appropriate ritual slaughter procedures must be satisfied.
3	Halal	Appropriate ritual slaughter procedures must be satisfied.
4	Other	Any other authorized method of slaughter must be specified by seller/buyer.

3.4.5 Post slaughter processing

Post-slaughter processing codes (data field 7)	Category	Description
0	Not specified	No post slaughter system specified.
1	Specified	Post slaughter system specified as agreed between buyer and seller.

The following list describes some common post slaughter processes that may be agreed between buyer and seller. These requirements are not included in the bovine specific coding.

- *Electrical stimulation* – if this is specified the system parameters must be agreed within the contractual terms.
- *Method of carcase suspension* – if different from traditional Achilles tendon suspension then the required method must be specified.
- *Chilling regimes* – if a specific chilling procedure is required then this must be specified.
- *Maturation processes* – any specific requirements must be specified.

- *Other requirements* – must be specified.
- *None specified.*

3.5 Grade classification, animal identification and third party certification

3.5.1 Third party certification

In addition to detailed product descriptions, this standard includes an option for purchasers to voluntarily select a conformity assessment authority within each contract. The UNECE secretariat will make the contact details of recognized conformity assessment authorities available on their website at www.unece.org/agr/meat/conformity/conformity.htm

Conformity assessment authorities voluntarily selected by purchasers will apply and/or assign merchandising criteria and assist with resolution of claims in contractual disputes.

Each conformity assessment authority, if selected voluntarily in a contractual agreement, will be wholly responsible for third party assessment of compliance with the standards detailed herein, based on that authority's operating methodology. Additionally, voluntarily selected authorities can determine characteristics to be utilized for merchandising criteria on the part of the purchaser based on standards and methodology specific to that authority under secondary lists of merchandising options, contained in this document, that are related to palatability, yields, or other quality/ value related characteristics of the product.

If dispute resolution is considered important between trading partners and is addressed and included as part of the contractual language between traders, purchasing entities first can voluntarily select a conformity assessment authority that will have the final responsibility for determining compliance of a product with the contractual agreement based on the standards contained herein, inclusive of any additional requirements specified in the contract.

Conformity assessment for compliance can voluntarily be mandated at the point of origin, prior to shipping, or can be obtained strictly on an "as-needed" basis to resolve a contractual dispute. When a claim is filed against a supplier, the parties should be obligated to comply with the findings of their voluntarily selected third party conformity assessment authority if such an authority is designated at the time of contract initiation.

If an authority for determining compliance is voluntarily selected by the purchasing entity, that purchasing entity also will have access to additional services or procedures provided by that specific authority, e.g., carcass classification and certification services, quality systems certification services, etc.

Suppliers in some nations may be required to submit product or management systems for certification based on the laws and regulations of their country. Such mechanisms for conformity assessment should be selected by the purchasing entity in the contractual language as the authority option for binding conformity assessment.

3.5.2 Use codes

The field is used to code different combinations of specification of third party certification, grade classification and animal identification as follows:

Certification/ Classification/ Identification code (data field5)	Category
0	Not specified
1	Grade/classification specified
2	Third party certification specified
3	Animal identification specified
4	Grade/classification and third party certification specified
5	Grade/classification and animal identification specified
6	Third party certification and animal identification specified
7	Grade/classification, third party certification and animal identification specified

3.6 Fat limitations and evaluation of fat thickness in certain cuts

3.6.1 The purchaser can specify the maximum fat thickness of carcasses, sides and cuts. Allowable fat limitations are as follows:


Fat thickness code (data field 8)	Category
0	Not specified
1	Peeled, denuded, surface membrane removed
2	Peeled, denuded
3	Practically free (75% lean/seam surface removed)
4	3 mm maximum fat thickness or as specified
5	6 mm maximum fat thickness or as specified
6	13 mm maximum fat thickness or as specified
7	25 mm maximum fat thickness or as specified
8	<u>Chemical lean specified</u>
9	Code not defined

3.6.2 Trimming

Trimming of external fat shall be accomplished by smooth removal along the contour of underlying muscle surfaces. Beveled fat edges alone do not substitute for complete trimming of external surfaces when required. Fat thickness requirements may apply to surface fat (subcutaneous and / or exterior fat in relation to the item), and seam (intermuscular) fat as specified by the purchaser. Two definitions are used to describe fat trim limitations:

- Maximum fat thickness at any one point. Evaluated by visually determining the area of a cut which has the greatest fat depth, and measuring the thickness of the fat at that point.

- Average (mean) fat thickness. Evaluated by visually determining and taking multiple measurements of the fat depth of areas where surface fat is evident only. Average fat depth is determined by computing the mean depth in those areas.



Actual measurements of fat thickness (depth) are made on the edges of cuts by probing or scoring the overlying surface fat in a manner that reveals the actual thickness and accounts for any natural depression or seam which could affect the measurement. When a natural depression occurs in a muscle, only the fat above the portion of the depression which is more than 19 mm/ 3/4" in width is considered (known as bridging; See Figure 1). When a seam of fat occurs between adjacent muscles, only the fat above the level of the involved muscles is measured (known as planing; See Figure 1).

However, when fat limitations for Peeled/Denuded⁴ or Peeled/Denuded, Surface Membrane Removed⁵ are specified, the bridging method shall be used for evaluating fat above a natural depression in a muscle and fat occurring between adjacent muscles.

3.7 Marbling

Marbling or intra-musculature fat is one of the criteria commonly used in determining meat quality. At present the USDA system and the AUS-MEAT system are referred to in this standard.

⁴ Peeled/Denuded – The term “Peeled” implies surface fat and muscle separation through natural seams so that the resulting cut’s seamed surface (“silver” or “blue tissue”) is exposed with remaining “flake” fat not to exceed 1.0 inch (2.5cm) in the longest dimension and/or 0.125 inch (3mm) in depth at any point. The term “denuded” implies all surface fat is removed so that the resulting cuts seamed surface (“silver” or “blue tissue”) is exposed with remaining “flake” fat not to exceed 1.0 inch (2.5cm) in any dimension and/or 0.125 inch (3mm) in depth at any point.

⁵ Peeled/Denuded, Surface Membrane Removed – When the surface membrane (“silver” or “blue tissue”) is required to be removed (skinned), the resulting cut shall expose at least 90 percent lean with remaining “flake” fat not to exceed 0.125 inch (3mm) in depth.

The USDA system is based on a photographic scale. The range demonstrates various degrees of marbling on a six point scale of increasing order of marbling content named “Slight, Small, Modest, Moderate, Slightly Abundant and Moderately Abundant”, respectively.

The AUS-MEAT system is based upon a photographic scale of seven chips (numbering 0 to 6) which are in order of increasing marbling content.

Users of both systems select the appropriate photograph that matches their requirements but are advised to use the full system. The Aus-Meat system can be found as an example in Annex 1 to this publication and further details can be accessed through either USDA or AUS-MEAT directly (see annex 2 for addresses)

Marbling code (data field 9)	Description
0	Not Specified
1	e.g. AUS-MEAT 0 Chip
2	e.g. AUS-MEAT 1 Chip
3	e.g. AUS-MEAT 2 Chip
4	e.g. AUS-MEAT 3 Chip
5	e.g. AUS-MEAT 4 Chip
6	e.g. AUS-MEAT 5 Chip
7	e.g. AUS-MEAT 6 Chip
8	USDA System specified
9	Other system specified

[NOTE: *Although the coding system allows for purchasers to designate either the USDA, AUS-MEAT or another system, it only allows for the specific coding of AUS-MEAT individual marbling chips. As we said there seems to be no reason why the USDA system could not be specified in the code, I also wonder if the systems could not be harmonized – this should be our task!]*

3.8 Meat and fat colour and pH

3.8.1 Introduction

Normal lean beef demonstrates a characteristic red colour. Meat with a pHU⁶ above 6.0 is considered dark, firm and dry meat (DFD). pHU is measured in m. longissimus dorsi according to ISO 2917:1974 “Meat and meat products”. Any other methods or conditions of pH must be defined by contractual agreement. Meat colour could be evaluated organoleptically in fresh cross-section of fixed muscle using an available colour guide. A range of meat colour for too dark (DFD) or too light meat (veal) and the representative muscle is defined in contractual agreement.

3.8.2 Use codes

The UNECE code allows purchasers to indicate whether or not they wish to specify the lean and fat colour. In the system codes have been reserved to code colour using the AUS-MEAT system (see example below). Other colour references are available which can be used if specified in the contractual terms together with any required pH parameters.

⁶ pHU means ultimate pH.

Colour and ph code (data field 10)	Description
00	Not specified
01	Specified
10-99	Lean and fat colour specified in the second and third digit using the AUS-MEAT system (see example 3.5.8.3).

3.8.3 Example: AUS-MEAT System

The AUS-MEAT system has 8 lean colour chips (AUS-MEAT 1a, 1b, 1c, 2, 3, 4, 5, 6, 7) and 9 fat colour chips (AUS-MEAT 1 to 9). The combination of lean and fat colour can be coded in two digits as follows:

	Fat colour chips										
Lean colour chips		0	1	2	3	4	5	6	7	8	9
	1a	10	11	12	...						19
	1b	20	21	22	...						29
	1c	30	31	32	...						39
	2	40	41	42	...						49
	3	50	51	52	...						59
	4	60	61	62	...						69
	5	70	71	72	...						79
	6	80	81	82	...						89
	7	90	91	92	...						99

It should be noted that the above is only indicative and that the full system and working parameters should be accessed for commercial use.

3.9 Weight ranging of Carcasses / cuts.

Weight range code (data field 12)	Category	Description
0	Not specified	no range required
1	Specified	Range required

3.10 Packing, storage, and transport

3.10.1 Description and provisions

The packaging (or prepackaging) is the primary covering of a product and must be of food grade materials. The packing is the secondary covering containing the packaged products. During the storage and transport, the meat must be packaged to the following minimum requirements:

Carcases and quarters

- Chilled with or without packaging
- Frozen / deep frozen packed to protect the products

Cuts - Chilled

- I.W. (Individually wrapped)
- Bulk packaged (plastic or wax-lined container)
- Vacuum-packed (VP)
- Modified atmosphere packaging (MAP)
- Other

Cuts - Frozen / deep frozen

- I.W. (Individually wrapped)
- Bulk packaged (plastic or wax-lined container)
- Vacuum-packed
- Other

The conditions of storage before dispatch and the equipment used for transportation shall be appropriate to the physical and in particular the thermal condition of the meat (chilled, chilled in a modified atmosphere, frozen, or deep-frozen) and shall be in accordance with the requirements of the importing country. Attention is drawn to the provisions of the *UNECE Agreement on the International Carriage of Perishable Foodstuffs and on the Special Equipment to be Used for Such Carriage (ATP)*.

3.10.2 Use Codes

Packing code (data field 13)	Category
0	Not specified
1	Carcases, halve carcasses and quarters – without packaging
2	Carcases, halve carcasses and quarters – with packaging
3	Cuts – I.W. (Individually Wrapped)
4	Cuts – Bulk packaged (plastic or wax-lined container).
5	Cuts – Vacuum-packed (VAC)
6	Cuts – Modified Atmosphere Packed (MAP).
7	Cuts – Other.

3.11 Labelling information to be mentioned on or fixed to the marketing units of meat

3.11.1 Without prejudice to national requirements of the importing countries, the following table contains information that must be listed on product labels, as designated by an “x”, for unpackaged carcasses, quarters, and cuts, and for packaged or packed meat items.

Labelling information	Unpackaged carcasses, quarters and cuts	Packaged or packed meat
Health stamp	X	X
Slaughter number or batch number	X	X
Slaughter date	X	
Packaging date		X
Name of the product		X
Use-by information as required by each country		X
Storage methods: chilled, frozen, deep-frozen		X
Storage conditions		X
Details of packer or retailer		X ⁷
Quantity (number of pieces)		X ¹
Net weight		X ¹

3.11.2 There are also several other production, processing and quality factors that may need to be listed on the product label or associated documentation, amongst which are:

- ◆ pH, lean and fat colour
- ◆ production and processing systems
- ◆ classification / grading
- ◆ slaughtering procedures
- ◆ characteristics of the livestock, production and feeding systems

4 BOVINE SPECIFIC CODING

4.1 UNECE code for bovine carcasses and cuts

The UNECE bovine code has 14 fields and 20 digits and is a combination of the use codes defined in chapter 3. The following table indicates how the different data fields are put together as well as their used code range.

Data Field No.	Data Field description	Code Range	Range used
1 (mandatory)	Species/Class (see 3.1)	0 – 9	1
2 (mandatory)	Cut (see Chapter 5)	0 - 9999	0-9999
3	Category (Sex/Type/Age) (see 3.4.2)	0 - 9	0 – 8
4	Production and Feeding systems (see 3.4.3)	0 - 9	0 – 5
5	Certification, Grade/Classification Third party certification, Animal Identification (3.5)	0 - 9	0 – 7
6	Slaughter Systems (see 3.4.4)	0 – 9	0 - 4

⁷ This information can also be provided in accompanying documentation.

7	Post slaughter processing (see 3.4.5)	0-9	0 - 1
8	External Fat (3.6)	0 – 9	0 – 7
9	Marbling (3.7)	0 - 9	0 - 8
10	Colour - (Meat/Fat) (3.8)	0 - 99	0 - 99
11 (mandatory)	Refrigeration (see 3.3)	0 - 9	1 - 3
12	Weight Range (3.9)	0 - 9	0 - 1
13	Packing (3.10)	0 – 9	0 - 7
14	Reserve	000 - 999	None

4.2 Example for the UNECE Bovine Code

The following example describes a chilled, vacuum packaged, brisket that was trimmed to 3 mm max fat thickness from a steer or heifer raised in an organic production system and slaughtered traditionally.

This item is characterized by the following 20- digit code:

The item would have the following 20-digit code: 11643530104000105000

Field 1 Species = 1 (Beef)

Field 2 Cut = 1643 (Brisket)

Field 3 Category = 5 (Steer and/or Heifer)

Field 4 Feeding System = 3 (Organic)

Field 5 Certification = 0 (Unspecified)

Field 6 Slaughter Systems = 1 (Traditional)

Field 7 Post Slaughter Processing = 0 (Unspecified)

Field 8 External Fat = 4 (3mm maximum fat thickness)

Field 9 Marbling = 0 (Unspecified)

Field 10 Lean and Fat Colour = 00 (Unspecified)

Field 11 Refrigeration = 1 (Chilled)

Field 12 Weight Range code = 0 (Unspecified)

Field 13 Packing code = 5 (Vacuum Packaged)

Field 14 Reserved codes = 000

4.3 EAN•UCC CODIFICATION SYSTEM

4.3.1 Purpose of the EAN•UCC System

The system is widely used in the world to enhance communication between buyers and sellers and third party conformity assessment entities. It is an identification and communication system standardized for use across international borders. It is managed by EAN International, together with national EAN coding authorities around the world, and by the Uniform Code Council (UCC) in the USA and Canada.

The system is designed to overcome the limitations of using company, industry or country specific coding systems and to make trading more efficient and responsive to trading partners. The use of the EAN•UCC System improves the efficiency and accuracy of international trade and product distribution by unambiguously identifying goods, services and locations.

It is also used in electronic data interchange (EDI). EAN/UCC codes can be represented by data carriers (e.g. bar code symbols) to enable electronic reading wherever required in the trading process.

Contact addresses for EAN•UCC System details:

EAN International

145 rue Royale
B-1000 Brussels
Belgium

Tel: +32-2-227 10 20
Fax: +32-2-227 10 21
e-mail: info@ean.be

Uniform Code Council (UCC)

Princeton Pike Corporate Centre
1009 Lenox Drive, suite 202
Laurenceville
New Jersey 08648

USA
Tel: +1-609-620 0200
Fax: +1-609-620 1200

4.3.2 Use of the UNECE Ovine code in the EAN•UCC system

EAN•UCC system uses Application Identifier as prefixes to identify the meaning and format of the data that follows it. It is an open standard, which can be used and understood by all companies in the international supply chain, regardless of the company that originally issued the codes.

The UNECE code defined in section 4.1 has been assigned the EAN•UCC Application Identifier **(7002)** in the UCC/EAN -128 standard.

Example 1:

(01) 91234567890121 **(3102)** 000076 **(7002)** 11643530104000105000 **(15)** 19990801
(10) 000831

(01) Global Trade Item Number (GTIN)
(3102) Net Weight, kilograms
(7002) UNECE Standard code
(15) Use by date
(10) Batch number

Example 2:

(01) 99312345678917 **(3102)** 004770 **(13)** 000105 **(21)** 12345678

(01) Global Trade Item Number (GTIN)
(3102) Net Weight, kilograms
(13) Slaughter/Packing Date
(21) Serial Number

Other data, such as the UNECE Ovine Code, refrigeration, grade and fat depth can be linked to the GTIN via Electronic Data Interchange (EDI - EANCOM8 messages).

[new barcode needed]

4.3.3 *Application of the system in practice*

[Associated pictures are to be included in the final document]

- (1) The customer orders, using the UNECE Standard for Ovine Carcases and Cuts coding scheme.

[picture]

- (2) On receipt of the order, the supplier translates the UNECE codes into its own trade item codes (i.e., Global Trade Item Number).

[picture]

- (3) The supplier delivers the order to the customer. The goods are marked with the UCC/EAN-128 bar code standard.

[picture]

- (4) The customer receives the order and the UCC/EAN-128 bar code scanned, thus allowing for the automatic update of commercial, logistics and administrative processes.

[picture]

- (5) The physical flow of goods, marked with EAN.UCC standards, may be linked to the information flow using electronic data interchange (EDI – EANCOM® messages).

[picture]