



SC

UNEP/POPS/POPRC.13/4

Distr.: General
5 June 2017

Russian
Original: English



, 17-20
5 b)

2017

*

:
(: 355-46-4,),
, /

(: 355-46-4,),

/

I.

1.

(: 355-46-4,),
, / 1 8 (.
)
,
,
, D,
UNEP/POPS/POPRC.13/INF/8.

II.

2.

- a) , ;
- b) 8 , D ;
- c) ,
b) 6 8.

* UNEP/POPS/POPRC.13/1.

(: 355-46-4,),

/

1.

1. (,),
()

-

()

(Hertzke et al., 2012).

()-

2.

D

(ECHA, 2017),

« »

2.

3.

1.

()

48

[C6F13SO2] (OECD,

2007,

2).

()-

(Kissa, 2001).

(Kim et al., 2015),

(Wang et al., 2011; Ding and Peijnenburg, 2013; Kim et al., 2015;

Sepulvado et al., 2011)

2.

4.

(,),

(Li et al. 2008).

«3M»

) (3M, 2002).

() (. .

5.

1

2


2,

1			
:	355-46-4		
():	1,1,2,2,3,3,4,4,5,5,6,6,6-	-1-	
:	206-587-1		
:	-1-		
:	C ₆ F ₁₃ SO ₃ H		
:	400,11		
:	-1-	,	-1-
	, 1,1,2,2,3,3,4,4,5,5,6,6,6-	,	-1-
	, 1,1,2,2,3,3,4,4,5,5,6,6,6-	-1-	
	RM70 (423-50-7), RM75 (3871-99-6)	RM570 (41997-
	13-1) (,	«Miteni
	SpA»,)		


2			
-			
101,3	20°	ECHA, 2017	
/	272-274°C	ECHA, 2017	
	58,9	Wang et al., 2011 ()	
	2,3 / (20-25°C)	Wang et al., 2011 ()	
, K _{ow} (n- - 5,17	Wang et al., 2011 ()	
	n- - 7,55	Wang et al., 2011 ()	
, K _{oa} (Wang et al., 2011 ()	
)	1,78	Wang et al., 2011 ()	
/ , K _{oc} (Wang et al., 2011 ()	
)		Wang et al., 2011 ()	

1.


(355-46-4)




(423-50-7)




(68259-08-5)




(3871-99-6)



(41997-13-1)



N- -N-[()]-



3.

6.

et al., 2011).

(Hertzke et al., 2012).

(Olsen et al., 2005).

7.

(Beeson et al., 2012; Liu and Chang, 2014; Hertzke et al., 2012; OECD, 2011; Olsen et al., 2005; UNEP, 2016),

ScotchGard™,

«3M» (),

1999 , ,
 (Beesoon et al., 2010).
 , (,), (UNEP, 2016).
 , 2012
 (/ , 2015)
 REACH (-),
 ,
 ()
 ()
 (Swedish Chemicals Agency (KEMI), 2015b). Wang et al. (2013),
 5-10 (,),
 1000
 Herzke et al. (2012) 12 29 () 5
 1 ()
 , (Swerea/IVF, 2009).
 , (Swedish environment agency, KEMI, 2015a).

4.

8. . -
 , () ,
 , 1 (100 000) . ,
 () , , ()
 (ECHA, 2017). ,
 (<http://195.215.202.233/DotNetNuke/Home/tabid/58/Default.aspx>).

(Prioritetslista)
 2020 .
 9. , -
 () (Environment Canada, 2013a) –

10. (« » , « » , « » (« » (« ») , « ») ,
 « » , «3 / » , « » (« ») « »)
 , 2015 () (US
 EPA 2006). , () (US
 EPA 2007), (, US EPA,
 2007), , ,

(US EPA, 2007).

2008

(NICNAS, 2013).

(
2016).

(NICNAS,

5.

D

5.1.

11.

(ECHA, 2017).

al., 2013).

(Giesy and Kannan, 2001; Xu et

(Danish Ministry of Environment, 2015).

Taniyasu et al. (2013),

106 20,5

(UNEP, 2006),

(OECD,

2002).

12.

(Kissa, 2001)

(Houde et al., 2006).

D

13.

D

5.2.

14.

log K_{ow}

log K_{ow} (OECD, 2002 2006; Conder et al., 2008).

(Ahrens et al., 2009; Martin et al., 2003; Goeritz et al., 2013),

log K_{ow}

((UNEP, 2006; Kitano, 2007).

15.

()

()

5000,

(Glynn et al., 2012). , (Gützkow et al., 2012). (Posner et al., 2013). 26 (Olsen et al., 2007). 3,8 , 8,5, 5,4 1,5 (Hundley et al., 2006; Sundstrom et al., 2012) (Hundley et al., 2006; Sundstrom et al., 2012), (Posner et al., 2013).

19. (), - (Posner et al., 2013; Haukås et al., 2007). (Smithwick et al., 2005b). 2260-4430 /) 2940 / () 1290 / (); 2,5 Smithwick et al. (2005a) 140 / 15 (Smithwick et al., 2005b).

D

20. > 1. 8 . **D**.

5.3.

21. - (Butt et al., 2010).

22. (, Butt et al., 2010; NCP 2013; Alava et al., 2015; Llorca et al., 2012; Rankin et al., 2016). (Stock et al., 2007; Genualdi et al., 2010), (Theobald et al., 2007, Butt et al., 2010), (, Caliebe et al., 2005, González-Gaya et al., 2014; Theobald et al., 2007, Butt et al., 2010; Rosenberg et al., 2008; Busch et al., 2010; Cai et al., 2012; Benskin et al., 2012; Zhao et al., 2012), (Stock et al., 2007) - (, Butt et al., 2010; NCP, 2013; Reiner et al., 2011; Riget et al., 2013; Carlsson et al., 2014; Lescord et al., 2014; Braune et al., 2014; Aas et al., 2014; Routti et al., 2016). (Schivone

et al., 2009), (Alava et al., 2015) (Alava et al., 2015; Llorca et al., 2012), (Rankin et al., 2016; Llorca et al., 2012), (Ahrens et al., 2010; Bengtson Nash et al., 2010; Wei et al., 2007), , , , (Schiavone et al., 2009; Llorca et al., 2012; Alava et al., 2015; Routti et al., 2015).

23. , , , (Paul et al., 2009). (,) (,) (Ahrens et al., 2011). , , , , (Butt et al., 2010; Ahrens et al., 2011; Rankin et al., 2016). / (Butt et al., 2010; Ahrens et al., 2011; Alava et al., 2015, Wang et al., 2015).

24. Butt et al. (2010), . , , , (Theobald et al., 2007, . Butt et al., 2010; Stock et al., 2007; Genualdi et al., 2010; Butt et al., 2010). 0,19 1,16 / (Alava et al., 2015). (Augusto . 2013). , , - / () (Martin et al., 2006; D'Eon et al., 2006). / (D'Eon et al., 2006; Xu et al., 2004; Tomy et al., 2004). , , Stock et al. (2007) 11 29 / ³ (+). (Stock et al., 2007). (C₄) - () 2,9 3,8 / ³ - (Del Vento et al., 2012). Dreyer et al. (2009) « » 10 , Wei et al. (2007) Del Vento et al. (2012). () - . , , , .

25. (MacInnis et al., 2017; Kwok et al., 2013). (MacInnis et al., 2017).
26. (Wang et al., 2011) (Caliebe et al., 2005, González-Gaya et al., 2014; Theobald et al., 2007, Butt et al., 2010; Rosenberg et al., 2008; Busch et al., 2010; Cai et al., 2012; Benskin et al., 2012; Zhao et al., 2012; Ahrens et al., 2010; Wei et al., 2007). (Yamashita et al., 2008; Prevedouros et al., 2006; Ahrens et al., 2011; Gonzales-Gaya et al., 2012). « - » (Globo-POP), Lohmann et al., 2007, « », . . . $\log K_{aw} \log K_{ow}$, (Llorca et al., 2012). Yamashita et al. (2005). (Caliebe et al., 2005, González-Gaya et al., 2014; Busch et al., 2010; Benskin et al., 2012; González-Gaya et al., 2014; Brumovský et al., 2016).
27. (Caliebe et al., 2005, González-Gaya et al., 2014; Rosenberg et al., 2008; Busch et al., 2010; Cai et al., 2012; Benskin et al., 2012; Zhao et al., 2012; Benskin et al., 2012, Gonzalez-Gaya et al., 2012, 45 / (Caliebe et al., 2005, González-Gaya et al., 2014; Yamashita et al., 2005; Benskin et al., 2012; Zhao et al., 2012). Busch et al., 2010, /
- 67,5 80,4°N. $5,2 \pm 9 / (14,5 /)$. (Busch et al., 2010).
28. Bengtson Nash et al. (2010), (Ahrens et al., 2010; Bengtson Nash et al., 2010). (Bengtson Nash et al., 2010; Yamashita et al., 2008).

(Bengtson
 Nash et al., 2010; Alava et al., 2015).
 (52°N-69°S) (Ahrens et
 al., 2010).

D

29. ()

5.4.

30. , in vitro

in vitro in vivo,

31. (Giesy et al., 2010).
 (Xenopus laevis), (0,1 /)
 (100-1000 /) (Lou et al., 2013).

(Ding and Peijnenburg, 2013; Giesy et al., 2010).

32. (LOEC) 890 /
 63%, (38 000 /), (T4)
 (Cassone et al., 2012 , b).

0,1-10 (Vongphachan et al. 2011).
 (LOAEL) 890 /

(50 / , <3,2–120,7) (Meyer et al., 2009). (T3) =

79,9 12,1 / ,) (Nøst et al., 2012). 33.

(Eggers Pedersen et al. 2015; 2016). 1,09 / 25 / , 91% (88 / , () , () 88%. , . , . (Eggers Pedersen et al., 2015). 17 - (OH-PRE), (Eggers Pedersen et al., 2016). 34. (K+) 0, 0,3, 1, 3 10 / 42 () () 21 () (0,3, 3 10 / ,), (3 10 / ,), Ca2+ / (10 / ,). LOAEL 0,3 / (Butenhoff et al., 2009). 35. (PPAR), Wolf et al. (2008) in vitro LOEC 8,76 4,38 PPAR - () (Hu et al., 2002). 11- - 2 (11 -HSD2), (50) 11 -HSD2 18,97 62,87 (Zhao et al., 2011). 36. PPAR- , PPAR- (Das et al., 2016). PPAR- 7 10 / / , *3-Leiden. – - (Brijland et al., 2011). (E3L.CETP) 6 / 4-6 (Brijland et al., 2011). (Das et al., 2016), *3-Leiden.E3L.CETP (Brijland et al., 2011). () () .

37. (Bijland et al., 2011).
- in vitro, () Corsini et al. (2012), 8:2 () ,
- (THP-1) ()- 0,1 / . ()- ()- (10 /). « - », 1- - (Corsini et al., 2012).
38. (6,1 9,2 / , 10) (Viberg et al., 2013). (Viberg et al., 2013).
- 24 4 (Lee Viberg, 2013). in utero 0,3-10 / / (Butenhoff et al., 2009). 2 30 (Sundstrøm et al., 2012). (Kim et al., 2016; Sundstrøm et al., 2012)
39. in vitro. () (100) 1 (Zhang et al., 2016).
- 100 (Liao et al., 2009). in vitro (PC12). Butenhoff et al. (2009) in vivo (0,3-10 / / , 111-505) (Lee et al., 2014a, 2014b 2016).
40. (4) (), T4 (Larsen and Delallo, 1989). $_{50} = 717$ (~ 286 /) T4 (Weiss et al 2009). (T3) in vitro 10^{-8} (Long et al., 2013).
41. in vitro. () in vitro ($_{50} = 30$) () 10^{-5} 10^{-4} (20%) E2. E2- 187% (~) (Kieldsen and Bonefeld-Jørgensen 2013).

(CYP19) 50 = 298 (JEG-3) (Gorrochategui et al., 2014).

42. (, ... ()) () , / (Fisher et al., 2013). (2,18 /) (NHANES) – (Nelson et al., 2010), C8 (Steenland et al., 2009). Nelson et al. (2010) 2003-2004 , 7 (Starling et al., 2014). 13 / 0,6 / ,

43. () , (BraMat) 99 MoBa. 3 (Grannum et al., 2013). Grandjean et al. (2012) 587 5 1,48 (95%- = 0,96-2,28) 0,1 / 1,78 (95%- 7 = 1,08-2,93). (Dong et al., 2013; Zhu et al., 2016).

44. (n=1540) NHANES (2007-2008) , 2-(N-) T3 T4 (Jain . 2013). NHANES, 2007-2010 (n=1181), T3, T4 (Wen et al., 2013). et al., 2013). Chan et al. (2011) (96 ; 175) (: = 2,86 / ; = 2,59 /) (= 1,12, 95%- = 0,89-1,41). (1,27, 95%- = 0,93-1,72)

(2006-2010

-) (n=301). -n-
 () T4
- T4 T3, () ()
 = 0,34 ± 1,81 /) (Shah-Kulkarni et al., 2016).
45. Hoffman et al., (2010) ()
 12-15 (n=571) NHANES (1999-2000
 2003-2004).
 () = 1,06, 95%-
 1,02-1,11). Stein and Stavitz (2011) (5-18 ;
 n=10456)
 = 1,21-2,08). 1,59 (95%-
46. in vitro (Kieldsen Bonefeld-Jørgensen, 2013).
 11-13 (Bjerregaard-Olesen et al., 2015). PPAR- in vitro
 (1-32) (Wolf et al. 2014).
 JEG-3 (, , ,)
 0,6
 3,4 (Gorrochategui et al., 2014).
47. in utero
 (Butenhoff et al., 2009), (Sundstrøm et al., 2012).
 ()
 (Zhao et al., 2015, 2017).
- 14,5 7,6 .
 (Fu et al.,
 2016). 12,8-10546 /
 863 / .
 (Gao et al., 2015).
48. (Calafat et al., 2007; Olsen
 et al., 2008).
 (Kärroman et al., 2007; Sundstrøm et al., 2011, Gutzkow et al., 2012).
 0,04 0,1 / (So et al., 2006; Kärroman et al., 2010).
 (Calafat et al.,
 2007; Toms et al., 2009); 1,2-77 / (Kärroman et al., 2007; Stubleski
 et al., 2016; Eriksson et al., 2017).

D

49.

6.

50.

51.

52.

D

(8),

/

7. References

- Aas CB, Fuglei E, Herzke D, Yoccoz NG, Routti H (2014). Effect of body condition on tissue distribution of perfluoroalkyl substances (PFASs) in Arctic fox (*Vulpes lagopus*). *Environ Sci Technol.* 48(19):11654-61. Erratum in: *Environ Sci Technol.* 48(22):13558.
- Ahrens L (2011). Polyfluoroalkyl compounds in the aquatic environment: a review of their occurrence and fate. *J. Environ. Monit.* 13, 20-31 (Critical Review).
- Ahrens L, Xie Z, Ebinghaus R (2010). Distribution of perfluoroalkyl compounds in seawater from northern Europe, Atlantic Ocean, and Southern Ocean. *Chemosphere.* 78(8):1011-6.
- Ahrens, L., Siebert, U., Ebinghaus, R., (2009). Total body burden and tissue distribution of polyfluorinated compounds in harbor seals (*Phoca vitulina*) from the German Bight. *Mar Pollut Bull*, 58(4), 520-525.
- Alava JJ, McDougall MRR, Bobor-Córdova MJ, Calle P, Riofrio M, Calle N, Ikonomou MG, Gobas FAPC (2015). Chapter 3. Perfluorinated chemicals in sediments, lichens and seabirds from the Antarctic peninsula – environmental assessment and management perspectives in Emerging pollutants in the environment – current and further implications. <https://www.intechopen.com/books/emerging-pollutants-in-the-environment-current-and-further-implications/perfluorinated-chemicals-in-sediments-lichens-and-seabirds-from-the-antarctic-peninsula-environmenta>
- Augusto S, Máguas C, Branquinho C (2013). Guidelines for biomonitoring persistent organic pollutants (POPs), using lichens and aquatic mosses—a review. *EnvironPollut.*180:330-8. Review.
- Beesoon S, Genuis SJ, Benskin JP, Martin JW (2012). Exceptionally high serum concentrations of perfluorohexanesulfonate in a Canadian family are linked to home carpet treatment applications. *Environ Sci Technol.* 46(23):12960-7.
- Bengtson Nash S, Rintoul SR, Kawaguchi S, Staniland I, van den Hoff J, Tierney M, Bossi R (2010). Perfluorinated compounds in the Antarctic region: ocean circulation provides prolonged protection from distant sources. *Environ Pollut.* 158(9):2985-91.
- Benskin JP, Muir DC, Scott BF, Spencer C, De Silva AO, Kylin H, Martin JW, Morris A, Lohmann R, Tomy G, Rosenberg B, Taniyasu S, Yamashita N (2012). Perfluoroalkyl acids in the Atlantic and Canadian Arctic Oceans. *Environ Sci Technol.* 46(11):5815-23.
- Bijland S, Rensen PC, Pieterman EJ, Maas AC, van der Hoorn JW, van Erk MJ, Havekes LM, Willems van Dijk K, Chang SC, Ehresman DJ, Butenhoff JL, Princen HM (2011). Perfluoroalkyl sulfonates cause alkyl chain length-dependent hepatic steatosis and hypolipidemia mainly by impairing lipoprotein production in APOE*3-Leiden CETP mice. *Toxicol Sci.* 123(1):290-303.
- Bjerregaard-Olesen C, Bossi R, Bech BH, Bonefeld-Jørgensen EC (2015). Extraction of perfluorinated alkyl acids from human serum for determination of the combined xenoestrogenic transactivity: a method development. *Chemosphere.*129:232-8.
- Borgå K, Kidd KA, Muir DC, Berglund O, Conder JM, Gobas FA, Kucklick J, Malm O, Powell DE (2012). Trophic magnification factors: considerations of ecology, ecosystems, and study design. *Integr Environ Assess Manag.* 8(1):64-84.
- Braune BM, Gaston AJ, Elliott KH, Provencher JF, Woo KJ, Chambellant M, Ferguson SH, Letcher RJ (2014). Organohalogen contaminants and total mercury in forage fish preyed upon by thick-billed murrelets in northern Hudson Bay. *Mar Pollut Bull.* 78(1-2):258-66.
- Brumovský M, Karásková P, Borghini M, Nizzetto L (2016). Per- and polyfluoroalkyl substances in the Western Mediterranean Sea waters. *Chemosphere* 159:308-16.
- Buck RC, Franklin J, Berger U, Conder JM, Cousins IT, de Voogt P, Jensen AA, Kannan K, Mabury SA, van Leeuwen SP (2011). Perfluoroalkyl and polyfluoroalkyl substances in the environment: terminology, classification, and origins. *Integr Environ Assess Manag.* 7(4):513-41.
- Busch J, Ahrens L, Xie Z, Sturm R, Ebinghaus R (2010). Polyfluoroalkyl compounds in the East Greenland Arctic Ocean. *J Environ Monit.* 12(6):1242-6.
- Butenhoff JL, Chang SC, Ehresman DJ, York RG (2009). Evaluation of potential reproductive and developmental toxicity of potassium perfluorohexanesulfonate in Sprague Dawley rats. *Reprod Toxicol* 27(3-4):331-41

- Butt CM, Mabury SA, Kwan M, Wang X, Muir DC (2008). Spatial trends of perfluoroalkyl compounds in ringed seals (*Phoca hispida*) from the Canadian Arctic. *Environ Toxicol Chem.* 27(3):542-53.
- Butt CM, Berger U, Bossi R, Tomy GT (2010). Levels and trends of poly- and perfluorinated compounds in the arctic environment. *Sci Total Environ.* 408(15):2936-65. Review.
- Cai M, Zhao Z, Yin Z, Ahrens L, Huang P, Cai M, Yang H, He J, Sturm R, Ebinghaus R, Xie Z (2012). Occurrence of perfluoroalkyl compounds in surface waters from the North Pacific to the Arctic Ocean. *Environ Sci Technol.* 46(2):661-8.
- Calafat AM, Wong LY, Kuklennyik Z, Reidy JA, Needham LL (2007). Polyfluoroalkyl chemicals in the U.S. population: data from the National Health and Nutrition Examination Survey (NHANES) 2003-2004 and comparisons with NHANES 1999-2000. *Environ Health Perspect.* 115(11):1596-602.
- Caliebe C, Gerwinski W, Theobald N, Hühnerfuss H (2005). Occurrence of perfluorinated 465 organic acids in the water of the North Sea and Arctic North Atlantic. In Poster presented at Fluoros, Toronto, Canada. (<http://www.chem.utoronto.ca/symposium/fluoros/pdfs/ANA010Theobald.pdf>). Last accessed 16 May 2017.
- Carlsson P, Herzke D, Kallenborn R (2014). Polychlorinated biphenyls (PCBs), polybrominated diphenyl ethers (PBDEs) and perfluorinated alkylated substances (PFASs) in traditional seafood items from western Greenland. *Environ Sci Pollut Res Int.* 21(6):4741-50.
- Cassone CG, Taylor JJ, O'Brien JM, Williams A, Yauk CL, Crump D, Kennedy SW (2012a). Transcriptional profiles in the cerebral hemisphere of chicken embryos following in ovo perfluorohexane sulfonate exposure. *Toxicol Sci.* 129(2):380-91.
- Cassone CG, Vongphachan V, Chiu S, Williams KL, Letcher RJ, Pelletier E, Crump D, Kennedy SW (2012b). In ovo effects of perfluorohexane sulfonate and perfluorohexanoate on pipping success, development, mRNA expression, and thyroid hormone levels in chicken embryos. *Toxicol Sci.* 127(1):216-24.
- Chan E, Burstyn I, Cherry N, Bamforth F and Martin JW (2011). Perfluorinated acids and hypothyroxinemia in pregnant women. *Environmental Research*, 111, 559-564.
- Chinese company: (<http://worldyachem.en.made-in-china.com/product/OvqmATeKnbkR/China-Perfluorohexane-Sulphonyl-Fluoride-CAS-No-423-50-7.html>). Last accessed 15 May 2017.
- Christensen KY, Raymond M, Thompson BA, Anderson HA (2016). Perfluoroalkyl substances in older male anglers in Wisconsin. *Environ Int.* 91:312-8.
- Conder JM, Hoke RA, De Wolf W, Russell MH, Buck RC (2008). Are PFCA's bioaccumulative? A critical review and comparison with regulatory criteria and persistent lipophilic compounds. *Environ Sci Technol.* 42(4):995-1003. Review.
- Conder JM, Gobas FA, Borgå K, Muir DC, Powell DE (2012). Use of trophic magnification factors and related measures to characterize bioaccumulation potential of chemicals. *Integr Environ Assess Manag.* 8(1):85-97.
- Corsini E, Sangiovanni E, Avogadro A, Galbiati V, Viviani B, Marinovich M, Galli CL, Dell'Agli M, Germolec DR (2012). In vitro characterization of the immunotoxic potential of several perfluorinated compounds (PFCs). *Toxicol Appl Pharmacol.* 258(2):248-55.
- Danish Ministry of Environment (2015). Short-chain Polyfluoroalkyl Substances (PFAS). A literature review of information on human effects and environmental fate and effect aspects of short-chain PFAS. Environmental project No: 1707, 2015.
- Das KP, Wood CR, Lin MJ, Starkov AA, Lau C, Wallace KB, Corton JC, Abbott BD (2016). Perfluoroalkyl acids-induced liver steatosis: Effects on genes controlling lipid homeostasis. *Toxicology.* 378:37-52.
- Del Vento S, Halsall C, Gioia R, Jones K, Dachs J (2012). Volatile per- and polyfluoroalkyl compounds in the remote atmosphere of the western Antarctic Peninsula: an indirect source of perfluoroalkyl acids to Antarctic waters? *Atm. Poll. Res.* 3(4): 450-455.
- D'eon JC, Hurley MD, Wallington TJ, Mabury SA (2006). Atmospheric chemistry of N-methyl perfluorobutane sulfonamidoethanol, C₄F₉SO₂N(CH₃)CH₂CH₂OH: kinetics and mechanism of reaction with OH. *Environ Sci Technol.* 40(6):1862-8.

- Ding and Peijnenburg (2013). Physicochemical Properties and Aquatic Toxicity of Poly- and Perfluorinated Compounds. *Critical Reviews in Environmental Science and Technology*, 43:598–678.
- Dong GH, Tung KY, Tsai CH, Liu MM, Wang D, Liu W, Jin YH, Hsieh WS, Lee YL, Chen PC (2013). Serum polyfluoroalkyl concentrations, asthma outcomes, and immunological markers in a case-control study of Taiwanese children. *Environ Health Perspect*. 121(4):507-13.
- Dreyer A, Weinberg I, Temme C, Ebinghaus R (2009). Polyfluorinated compounds in the atmosphere of the Atlantic and Southern Oceans: evidence for a global distribution. *Environ Sci Technol*. 43(17):6507-14.
- ECHA (2017). Proposal for the identification of a substance of very high concern on the basis of the criteria set out in REACH article 57. Annex XV report for perfluorohexane-1-sulphonic acid and its salts. (<https://echa.europa.eu/documents/10162/40a82ea7-dcd2-5e6f-9bff-6504c7a226c5>). Last accessed 16 May 2017.
- Environment Canada (2013a). *Search Engine for the Results of DSL Categorization*. Environment Canada, Gatineau, Quebec, Canada. (<http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=5F213FA8-1&wsdoc=D031CB30-B31B-D54C-0E46-37E32D526A1F>). Last accessed 16 May 2017.
- Eriksson U, Mueller JF, Toms LL, Hobson P, Kärrman A (2017). Temporal trends of PFSA, PFCA and selected precursors in Australian serum from 2002 to 2013. *Environ Pollut*. 220(Pt A):168-177.
- Fisher M, Arbuckle TE, Wade M, Haines DA (2013). Do perfluoroalkyl substances affect metabolic function and plasma lipids?--Analysis of the 2007-2009, Canadian Health Measures Survey (CHMS) Cycle 1. *Environ Res*. 121:95-103. Erratum in: *Environ Res*. 126:221.
- Fromme H, Wöckner M, Roscher E, Völkel W (2017). ADONA and perfluoroalkylated substances in plasma samples of German blood donors living in South Germany. *Int J Hyg Environ Health*. S1438-4639(16)30568-5.
- Fu J, Gao Y, Cui L, Wang T, Liang Y, Qu G, Yuan B, Wang Y, Zhang A, Jiang G (2016). Occurrence, temporal trends, and half-lives of perfluoroalkyl acids (PFAAs) in occupational workers in China. *Sci Rep*. 6:38039.
- Gao Y, Fu J, Cao H, Wang Y, Zhang A, Liang Y, Wang T, Zhao C, Jiang G (2015). Differential accumulation and elimination behavior of perfluoroalkyl Acid isomers in occupational workers in a manufactory in China. *Environ Sci Technol*. 49(11):6953-62.
- Genualdi S, Lee SC, Shoeib M, Gawor A, Ahrens L, Harner T (2010). Global pilot study of legacy and emerging persistent organic pollutants using sorbent-impregnated polyurethane foam disk passive air samplers. *Environ Sci Technol*. 44(14):5534-9.
- Gibson J, Adlard B, Olafsdottir K, Sandanger TM, Odland JØ (2016). Levels and trends of contaminants in humans of the Arctic. *Int J Circumpolar Health*. 75:X-X.
- Giesy JP, Kannan K (2001). Global distribution of perfluorooctane sulfonate in wildlife. *Environ Sci Technol*. 35(7):1339-42.
- Giesy JP, Naile JE, Khim JS, Jones PD, Newsted JL (2010). Aquatic toxicity of perfluorinated chemicals. *Reviews of Environ. Contam. Toxicol*. 202;1-55.
- Glynn A, Berger U, Bignert A, Ullah S, Aune M, Lignell S, Darnerud PO (2012). Perfluorinated alkyl acids in blood serum from primiparous women in Sweden: serial sampling during pregnancy and nursing, and temporal trends 1996-2010. *Environ Sci Technol*. 46(16):9071-9.
- González-Gaya B, Dachs J, Roscales JL, Caballero G, Jiménez B (2014). Perfluoroalkylated substances in the global tropical and subtropical surface oceans. *Environ Sci Technol*. 48(22): 13076-84.
- Goeritz I, Falk S, Stahl T, Schäfers C, Schleichriem C (2013). Biomagnification and tissue distribution of perfluoroalkyl substances (PFASs) in market-size rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem*. 32(9):2078-88.
- Gorrochategui E, Pérez-Albaladejo E, Casas J, Lacorte S, Porte C (2014). Perfluorinated chemicals: differential toxicity, inhibition of aromatase activity and alteration of cellular lipids in human placental cells. *Toxicol Appl Pharmacol*. 277(2):124-30.

- Grandjean P, Andersen EW, Budtz-Jørgensen E, Nielsen F, Mølbak K, Weihe P, Heilmann C (2012). Serum vaccine antibody concentrations in children exposed to perfluorinated compounds. *JAMA*. 307(4):391-7. Erratum in: *JAMA*. (2012)307(11):1142.
- Granum B, Haug LS, Namork E, Stølevik SB, Thomsen C, Aaberge IS, van Loveren H, Løvik M, Nygaard UC (2013). Pre-natal exposure to perfluoroalkyl substances may be associated with altered vaccine antibody levels and immune-related health outcomes in early childhood. *J Immunotoxicol*. 10(4):373-9.
- Gützkow KB, Haug L.S, Thomsen C, Sabaredzovic A, Becher G, Brunborg, G (2012). Placental transfer of perfluorinated compounds is selective in a Norwegian Mother and Child sub-cohort study. *Int. J. Hyg. Environ. Health* 215, 216-219.
- Hoffman K, Webster TF, Weisskopf MG, Weinberg J, Vieira VM (2010). Exposure to polyfluoroalkyl chemicals and attention deficit/hyperactivity disorder in U.S. children 12-15 years of age. *Environ Health Perspect*. 118(12):1762-7
- Houde M, Bujas TA, Small J, Wells RS, Fair PA, Bossart GD, Solomon KR, Muir DC (2006). Biomagnification of perfluoroalkyl compounds in the bottlenose dolphin (*Tursiops truncatus*) food web. *Environ Sci Technol*. 40(13):4138-44.
- Haukås M, Berger U, Hop H, Gulliksen B, Gabrielsen GW (2007). Bioaccumulation of per- and polyfluorinated alkyl substances (PFAS) in selected species from the Barents Sea food web. *Environ Pollut*. 148(1):360-71.
- Herzke D, Olsson E, Posner S (2012). Perfluoroalkyl and polyfluoroalkyl substances (PFASs) in consumer products in Norway - a pilot study. *Chemosphere*. 88(8):980-7.
- Hu W, Jones PD, Upham BL, Trosko JE, Lau C, Giesy JP (2002). Inhibition of gap junctional intercellular communication by perfluorinated compounds in rat liver and dolphin kidney epithelial cell lines in vitro and Sprague-Dawley rats in vivo. *Toxicol Sci*. 68(2):429-36.
- Hundley SG, Sarrif AM, Kennedy GL (2006). Absorption, distribution, and excretion of ammonium perfluorooctanoate (APFO) after oral administration to various species. *Drug Chem. Toxicol*. 29:137-145.
- Jain RB (2013). Association between thyroid profile and perfluoroalkyl acids: data from NHNAES 2007-2008. *Environ Res*. 126:51-9.
- Jin H, Zhang Y, Jiang W, Zhu L, Martin JW (2016). Isomer-specific distribution of perfluoroalkyl substances in blood. *Environ Sci Technol*. 50(14):7808-15.
- Kim SJ, Heo SH, Lee DS, Hwang IG, Lee YB, Cho HY (2016). Gender differences in pharmacokinetics and tissue distribution of 3 perfluoroalkyl and polyfluoroalkyl substances in rats. *Food Chem Toxicol*. 97:243-255.
- Kim M, Li LY, Grace JR, Yue C (2015). Selecting reliable physicochemical properties of perfluoroalkyl and polyfluoroalkyl substances (PFASs) based on molecular descriptors. *Environ Pollut*. 196:462-72.
- Kissa, E (2001). *Fluorinated Surfactants and Repellents*. Marcel Dekker, Inc., New York.
- Kjeldsen LS, Bonefeld-Jørgensen EC (2013). Perfluorinated compounds affect the function of sex hormone receptors. *Environ Sci Pollut Res Int*. 20(11):8031-44.
- Kitano M. (2007). Additional information related to assessment of bioaccumulation data under Annex D of the Convention. Annex: Discussion Paper on Bioaccumulation Evaluation. UNEP/POPS/POPRC.3/INF/8. UNEP, Stockholm Convention on Persistent Organic Pollutants, Persistent Organic Pollutants Review Committee, Third meeting, Geneva, 19-23 November 2007.
- Kwok KY, Yamazaki E, Yamashita N, Taniyasu S, Murphy MB, Horii Y, Petrick G, Kallerborn R, Kannan K, Murano K, Lam PK (2013). Transport of perfluoroalkyl substances (PFAS) from an arctic glacier to downstream locations: implications for sources. *Sci Total Environ*. 447 :46-55.
- Kärman A, Domingo JL, Llebaria X, Nadal M, Bigas E, van Bavel B, Lindström G (2010). Biomonitoring perfluorinated compounds in Catalonia, Spain: concentrations and trends in human liver and milk samples. *Environ Sci Pollut Res Int*. 17(3):750-8.
- Kärman A, Ericson I, van Bavel B, Darnerud PO, Aune M, Glynn A, Lignell S, Lindström G (2007). Exposure of perfluorinated chemicals through lactation: levels of matched human milk and serum and a temporal trend, 1996-2004, in Sweden. *Environ Health Perspect*. 115(2):226-30.

- Larsen PD and Delallo L (1989). Cerebrospinal fluid transthyretin in the neonatal and blood-cerebrospinal fluid barrier permeability. *Ann. Neurol.* 25(6): 628-630.
- Lee E, Choi SY, Yang JH, Lee YJ (2016). Preventive effects of imperatorin on perfluorohexanesulfonate-induced neuronal apoptosis via inhibition of intracellular calcium-mediated ERK pathway. *Korean J Physiol Pharmacol.* 20(4):399-406.
- Lee YJ, Choi SY, Yang JH (2014a). PFHxS induces apoptosis of neuronal cells via ERK1/2-mediated pathway. *Chemosphere* 94:121-7.
- Lee YJ, Choi SY, Yang JH (2014b). NMDA receptor-mediated ERK 1/2 pathway is involved in PFHxS-induced apoptosis of PC12 cells. *Sci. Tot Environ.* 491-492: 227-234.
- Lee I, Viberg H (2013). A single neonatal exposure to perfluorohexane sulfonate (PFHxS) affects the levels of important neuroproteins in the developing mouse brain. *Neurotoxicology.* 37:190-6.
- Lescord GL, Kidd KA, De Silva AO, Williamson M, Spencer C, Wang X, Muir DC (2015). Perfluorinated and polyfluorinated compounds in lake food webs from the Canadian high Arctic. *Environ Sci Technol.* 49(5):2694-702.
- Li X, Yeung LW, Taniyasu S, Li M, Zhang H, Liu D, Lam PK, Yamashita N, Dai J (2008). Perfluorooctanesulfonate and related fluorochemicals in the Amur tiger (*Panthera tigris altaica*) from China. *Environ Sci Technol.* 42(19):7078-83.
- Liao C, Wang T, Cui L, Zhou Q, Duan S, Jiang G (2009). Changes in synaptic transmission, calcium current, and neurite growth by perfluorinated compounds are dependent on the chain length and functional group. *Environ Sci Technol.* 43(6):2099-104.
- Liu C-Y and Chang C-Y (2014). *Materials and methods for improved photoresist performance*. USA. (<http://www.google.com/patents/US20140011133>). Last accessed 16 May 2017.
- Llorca M, Farré M, Tavano MS, Alonso B, Koremblit G, Barceló D (2012). Fate of a broad spectrum of perfluorinated compounds in soils and biota from Tierra del Fuego and Antarctica. *Environ Pollut.* 163:158-66.
- Lohmann R, Breivik K, Dachs J, Muir D (2007). Global fate of POPs: current and future research directions. *Environ Pollut.* 150(1):150-65. Review.
- Long M, Ghisari M, Bonefeld-Jørgensen EC (2013). Effects of perfluoroalkyl acids on the function of the thyroid hormone and the aryl hydrocarbon receptor. *Environ Sci Pollut Res Int.* 20(11):8045-56
- Lou QQ, Zhang YF, Zhou Z, Shi YL, Ge YN, Ren DK, Xu HM, Zhao YX, Wei WJ, Qin ZF (2013). Effects of perfluorooctanesulfonate and perfluorobutanesulfonate on the growth and sexual development of *Xenopus laevis*. *Ecotoxicol.* 22:1133-1144.
- Martin JW, Ellis DA, Mabury SA, Hurley MD, Wallington TJ (2006). Atmospheric chemistry of perfluoroalkanesulfonamides: kinetic and product studies of the OH radical and Cl atom initiated oxidation of N-ethyl perfluorobutanesulfonamide. *Environ Sci Technol.* 40(3):864-72.
- Martin JW, Mabury SA, Solomon KR, Muir DC. (2003). Bioconcentration and tissue distribution of perfluorinated acids in rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem*, 22(1), 196-204.
- MacInnis JJ, French K, Muir DC, Spencer C, Criscitiello A, De Silva AO, Young CJ (2017). Emerging investigator series: a 14-year depositional ice record of perfluoroalkyl substances in the High Arctic. *Environ Sci Process Impacts.* 19(1):22-30.
- Meyer J, Jaspers VL, Eens M, de Coen W (2009). The relationship between perfluorinated chemical levels in the feathers and livers of birds from different trophic levels. *Sci Total Environ.* 407(22):5894-900.
- NCP (2013). Canadian Arctic Contaminants Assessment Report On Persistent Organic Pollutants – 2013.
- Nelson JW, Hatch EE, Webster TF (2010). Exposure to polyfluoroalkyl chemicals and cholesterol, body weight, and insulin resistance in the general U.S. population. *Environ Health Perspect.* 118(2):197-202.
- NICNAS (2013). Department of Health, Australian Government. Environment Tier II Assessment for Short-Chain Perfluorocarboxylic Acids and their Direct Precursors. (Access: <https://www.nicnas.gov.au/chemical-information/imap-assessments/imap-assessments/tier-ii-environment-assessments/short-chain-perfluorocarboxylic-acids-and-their-direct-precursors>). Last accessed 16 May 2017.

- NICNAS (2016). Department of Health, Australian Government. Environment Tier II Assessment for Direct Precursors to Perfluoroheptanesulfonate (PFHpS), Perfluorohexanesulfonate (PFHxS) and Perfluoropentanesulfonate (PFPeS) (Access: <https://www.nicnas.gov.au/chemical-information/imap-assessments/imap-assessments/tier-ii-environment-assessments/direct-precursors-to-perfluoroheptanesulfonate-pfhps,-perfluorohexanesulfonate-pfhxs-and-perfluoropentanesulfonate-pfpes>). Last accessed 16 May 2017.
- Numata J, Kowalczyk J, Adolphs J, Ehlers S, Schafft H, Fuerst P, Müller-Graf C, Lahrssen-Wiederholt M, Greiner M (2014). Toxicokinetics of seven perfluoroalkyl sulfonic and carboxylic acids in pigs fed a contaminated diet. *J Agric Food Chem.* 62(28):6861-70.
- Nøst TH, Helgason LB, Harju M, Heimstad ES, Gabrielsen GW, Jenssen BM (2012). Halogenated organic contaminants and their correlations with circulating thyroid hormones in developing Arctic seabirds. *Sci Total Environ.* 414:248-56.
- OECD (2002) (Organisation for Economic Co-operation and Development). 2002. Co-operation on existing chemicals. Hazard assessment of perfluorooctane sulfonate (PFOS) and its salts. Environment Directorate. Joint meeting of the Chemicals Committee and the Working Party on Chemicals, Pesticides and Biotechnology. ENV/JM/RD(2002)17/FINAL (Unclassified).
- OECD (2006). OECD Test Guideline 123: Partition Coefficient (1-Octanol/Water): Slow-Stirring Method
- OECD (2007). Lists of PFOS, PFAS, PFOA, PFCA, related compounds and chemicals that may degrade to PFCA. ENV/JM/MONO(2006)15 (as revised in 2007)
- OECD (2011). *PFCS: Outcome of the 2009 Survey on the Production, Use and Release of PFOS, PFAS, PFOA, PFCA, Their Related Substances and Products/Mixtures Containing These Substances*. Organisation for Economic Cooperation and Development, Paris, France. Accessed 9 January 2015 at <http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/jm/mono%282011%291&doclanguage=en>). Last accessed 16 May 2017
- Olsen GW, Mair DC, Church TR, Ellefson ME, Reagen WK, Boyd TM, Herron RM, Medhdizadehkashi Z, Nobiletti JB, Rios JA, Butenhoff JL, Zobel LR (2008). Decline in perfluorooctanesulfonate and other polyfluoroalkyl chemicals in American Red Cross adult blood donors, 2000-2006. *Environ Sci Technol.* 42(13):4989-95.
- Olsen GW, Burriss JM, Ehresman DJ, Froehlich JW, Seacat AM, Butenhoff JL, Zobel LR (2007). Half-life of serum elimination of perfluorooctanesulfonate, perfluorohexanesulfonate, and perfluorooctanoate in retired fluorochemical production workers. *Environ Health Perspect.* 115(9):1298-305.
- Olsen GW, Huang HY, Helzlsouer KJ, Hansen KJ, Butenhoff JL, Mandel JH (2005). Historical comparison of perfluorooctanesulfonate, perfluorooctanoate, and other fluorochemicals in human blood. *Environ Health Perspect.* 113(5):539-45.
- Paul AG, Jones KC, Sweetman AJ (2009). A first global production, emission, and environmental inventory for perfluorooctane sulfonate. *Environ Sci Technol.* 43(2):386-92.
- Pedersen KE, Letcher RJ, Sonne C, Dietz R, Styrishave B (2016). Per- and polyfluoroalkyl substances (PFASs) - New endocrine disruptors in polar bears (*Ursus maritimus*). *Environ Int.* 96:180-189.
- Pedersen K E, Basu N, Letcher R, Greaves AK, Sonne C, Dietz R, Styrishave B (2015). Brain region-specific perfluoroalkylated sulfonate (PFSA) and carboxylic acid (PFCA) accumulation and neurochemical biomarker responses in east Greenland polar bears (*Ursus maritimus*). *Environ Res.* 138:22-31.
- Posner S, Roos S, Brunn Poulsen P, Jörundsdóttir H Ó, Gunnlaugsdóttir H, Trier X, ... Jensen S. (2013). Per and polyfluorinated substances in the Nordic Countries: Use, occurrence and toxicology. Nordic Council of Ministers. (TeamNord; No. 542, Vol. 2013).
- Prevedouros K, Cousins IT, Buck RC, Korzeniowski SH (2006). Sources, fate and transport of perfluorocarboxylates. *Environ Sci Technol.* 40(1):32-44. Review.
- Rankin K, Mabury SA, Jenkins TM, Washington JW (2016). A North American and global survey of perfluoroalkyl substances in surface soils: Distribution patterns and mode of occurrence. *Chemosphere.* 161:333-41.

- Reiner JL, O'Connell SG, Moors AJ, Kucklick JR, Becker PR, Keller JM (2011). Spatial and temporal trends of perfluorinated compounds in Beluga Whales (*Delphinapterus leucas*) from Alaska. *Environ Sci Technol.* 45(19):8129-36.
- Rigét F, Bossi R, Sonne C, Vorkamp K, Dietz R (2013). Trends of perfluorochemicals in Greenland ringed seals and polar bears: indications of shifts to decreasing trends. *Chemosphere* 93(8):1607-14.
- Rosenberg B, DeLaronde J, MacHutchon A, Stern G, Spencer C, Scott B (2008). Spatial and vertical distribution of perfluorinated compounds in Canadian Arctic and sub-arctic ocean water. *Organohalogen Compd.* 70:386-9.
- Routti H, Gabrielsen GW, Herzke D, Kovacs KM, Lydersen C (2016). Spatial and temporal trends in perfluoroalkyl substances (PFASs) in ringed seals (*Pusa hispida*) from Svalbard. *Environ Pollut.* 214:230-8.
- Routti H, Krafft BA, Herzke D, Eisert R, Oftedal O (2015). Perfluoroalkyl substances detected in the world's southernmost marine mammal, the Weddell seal (*Leptonychotes weddellii*). *Environ Pollut.* 197:62-7.
- Schiavone A, Corsolini S, Kannan K, Tao L, Trivelpiece W, Torres D Jr, Focardi S (2009). Perfluorinated contaminants in fur seal pups and penguin eggs from South Shetland, Antarctica. *Sci Total Environ.* 407(12):3899-904.
- Sepulvado JG, Blaine AC, Hundal LS, Higgins CP (2011). Occurrence and fate of perfluorochemicals in soil following the land application of municipal biosolids. *Environ Sci Technol.* 45(19):8106-12.
- Shah-Kulkarni S, Kim BM, Hong YC, Kim HS, Kwon EJ, Park H, Kim YJ, Ha EH (2016). Prenatal exposure to perfluorinated compounds affects thyroid hormone levels in newborn girls. *Environ Int.* 94:607-13.
- Smithwick M, Muir DC, Mabury SA, Solomon KR, Martin JW, Sonne C, Born EW, Letcher RJ, Dietz R (2005a). Perfluoroalkyl contaminants in liver tissue from East Greenland polar bears (*Ursus maritimus*). *Environ Toxicol Chem.* 24(4):981-6.
- Smithwick M, Mabury SA, Solomon KR, Sonne C, Martin JW, Born EW, Dietz R, Derocher AE, Letcher RJ, Evans TJ, Gabrielsen GW, Nagy J, Stirling I, Taylor MK, Muir DC (2005b). Circumpolar study of perfluoroalkyl contaminants in polar bears (*Ursus maritimus*). *Environ Sci Technol.* 39(15):5517-23.
- So MK, Yamashita N, Taniyasu S, Jiang Q, Giesy JP, Chen K, Lam PK (2006) Health risks in infants associated with exposure to perfluorinated compounds in human breast milk from Zhoushan, China. *Environ Sci Technol* 40:2924-2929.
- Starling AP, Engel SM, Whitworth KW, Richardson DB, Stuebe AM, Daniels JL, Haug LS, Eggesbø M, Becher G, Sabaredzovic A, Thomsen C, Wilson RE, Travlos GS, Hoppin JA, Baird DD, Longnecker MP (2014). Perfluoroalkyl substances and lipid concentrations in plasma during pregnancy among women in the Norwegian Mother and Child Cohort Study. *Environ Int.* 62:104-12.
- Steenland K, Tinker S, Frisbee S, Ducatman A, Vaccarino V (2009). Association of perfluorooctanoic acid and perfluorooctane sulfonate with serum lipids among adults living near a chemical plant. *Am J Epidemiol.* 170(10):1268-78.
- Stein CR, Savitz DA (2011). Serum perfluorinated compound concentration and attention deficit/hyperactivity disorder in children 5-18 years of age. *Environ Health Perspect.* 119(10):1466-71.
- Stock NL, Furdui VI, Muir DC, Mabury SA (2007). Perfluoroalkyl contaminants in the Canadian Arctic: evidence of atmospheric transport and local contamination. *Environ Sci Technol.* 41(10):3529-36.
- Stubleski J, Salihovic S, Lind L, Lind PM, van Bavel B, Kärrman A (2016). Changes in serum levels of perfluoroalkyl substances during a 10-year follow-up period in a large population-based cohort. *Environ Int.* 95:86-92.
- Sundström M, Chang SC, Noker PE, Gorman GS, Hart JA, Ehresman DJ, Bergman A, Butenhoff JL (2012). Comparative pharmacokinetics of perfluorohexanesulfonate (PFHxS) in rats, mice, and monkeys. *Reprod Toxicol.* 33(4):441-51.
- Sundström M, Ehresman DJ, Bignert A, Butenhoff JL, Olsen GW, Chang SC, Bergman A (2011). A temporal trend study (1972-2008) of perfluorooctanesulfonate, perfluorohexanesulfonate, and

- perfluorooctanoate in pooled human milk samples from Stockholm, Sweden. *Environ Int.* 37(1): 178-83.
- Swedish Chemicals Agency (KEMI) 2015a. Chemical Analysis Of Selected Firefighting Foams On The Swedish Market 2014. Rapport 6/15.
- Swedish Chemicals Agency (KEMI) 2015b. Occurrence and use of highly fluorinated substances and alternatives. Rapport 7/15.
- Taniyasu S, Yamashita N, Yamazaki E, Petrick G, Kannan K (2013). The environmental photolysis of perfluorooctanesulfonate, perfluorooctanoate, and related fluorochemicals. *Chemosphere.* 90(5): 1686-92.
- Theobald N, Gerwinski W, Caliebe C, Haarich M (2007). Development and validation of a method for the determination of polyfluorinated organic substances in sea water, sediments and biota. Occurrence of these compounds in the North and Baltic Seas. *Umweltforschungsplan des Bundesministeriums für Umwelt, Naturschutz, und Reaktorsicherheit, Forschungsbericht 202 22 213, UBA FB 00 001409.* 133 pp. (in German, with English abstract).
- Toms LM, Calafat AM, Kato K, Thompson J, Harden F, Hobson P, Sjödin A, Mueller JF (2009). Polyfluoroalkyl chemicals in pooled blood serum from infants, children, and adults in Australia. *Environ Sci Technol.* 43(11):4194-9.
- Tomy GT, Tittlemier SA, Palace VP, Budakowski WR, Braekevelt E, Brinkworth L, Friesen K (2004). Biotransformation of N-ethyl perfluorooctanesulfonamide by rainbow trout (*Onchorhynchus mykiss*) liver microsomes. *Environ Sci Technol.* 38(3):758-62.
- Tonnelier A, Coecke S, Zaldívar, JM (2012). Screening of chemicals for human bioaccumulative potential with a physiologically based toxicokinetic model. *Arch. Toxicol.* 86, 393–403.
- 3M Company (2002). Identification of fluorochemicals in human sera. I. American Red Cross adult blood donors.
- UNEP/POPS/POPRC.2/11 (2006). Draft risk profile: perfluorooctane sulfonate (PFOS). UNEP.
- UNEP/POPS/POPRC.12/INF/15 (2016). Draft consolidated guidance on alternatives to perfluorooctane sulfonic acid and its related chemicals. UNEP.
- U. S. Environment Protection Agency (US EPA) (2007). Per- and Polyfluoroalkyl Substances (PFASs) under TSCA (<https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/and-polyfluoroalkyl-substances-pfass-under-tsca>). Last accessed 16 May 2017
- Viberg H, Lee I, Eriksson P (2013). Adult dose-dependent behavioral and cognitive disturbances after a single neonatal PFHxS dose. *Toxicology.* 304:185-91.
- Vongphachan V, Cassone CG, Wu D, Chiu S, Crump D, Kennedy SW (2011). Effects of perfluoroalkyl compounds on mRNA expression levels of thyroid hormone-responsive genes in primary cultures of avian neuronal cells. *Toxicol Sci.* 120(2):392-402.
- Wang Z, MacLeod M, Cousins IT, Scheringer M, Hungerbühler K (2011). Using COSMOtherm to predict physicochemical properties of poly- and perfluorinated alkyl substances (PFASs). *Environ Chem* 8(4):389–98.
- Wang Z, Cousins IT, Scheringer M, Hungerbühler K (2013). Fluorinated alternatives to long-chain perfluoroalkyl carboxylic acids (PFCAs), perfluoroalkane sulfonic acids (PFASs) and their potential precursors. *Environ Int.* 60:242-8. Review.
- Wang Z, Xie Z, Mi W, Möller A, Wolschke H, Ebinghaus R (2015). Neutral Poly/Per-Fluoroalkyl Substances in Air from the Atlantic to the Southern Ocean and in Antarctic Snow. *Environ Sci Technol.* 49(13):7770-5.
- Wei S, Chen LQ, Taniyasu S, So MK, Murphy MB, Yamashita N, Yeung LW, Lam PK (2007). Distribution of perfluorinated compounds in surface seawaters between Asia and Antarctica. *Mar Pollut Bull.* 54(11):1813-8.
- Weiss JM, Andersson PL, Lamoree MH, Leonards PE, van Leeuwen SP, Hamers T (2009). Competitive binding of poly- and perfluorinated compounds to the thyroid hormone transport protein transthyretin. *Toxicol Sci.* 109(2):206-16.
- Wen LL, Lin LY, Su TC, Chen PC, Lin CY (2013). Association between serum perfluorinated chemicals and thyroid function in U.S. adults: the National Health and Nutrition Examination Survey 2007-2010. *J Clin Endocrinol Metab.* 98(9):E1456-64.

- Wolf CJ, Rider CV, Lau C, Abbott BD (2014). Evaluating the additivity of perfluoroalkyl acids in binary combinations on peroxisome proliferator-activated receptor- activation. *Toxicology*. 316: 43-54.
- Wolf CJ, Takacs ML, Schmid JE, Lau C, Abbott BD (2008). Activation of mouse and human peroxisome proliferator-activated receptor alpha by perfluoroalkyl acids of different functional groups and chain lengths. *Toxicol Sci*. 106(1):162-71.
- Xu L, Krenitsky DM, Seacat AM, Butenhoff JL, Anders MW (2004). Biotransformation of N-ethyl-N-(2 hydroxyethyl)perfluorooctanesulfonamide by rat liver microsomes, cytosol, and slices and by expressed rat and human cytochromes P450. *Chem Res Toxicol*. 17(6):767-75.
- Xu W, Wang X, Cai Z (2013). Analytical chemistry of the persistent organic pollutants identified in the Stockholm Convention: A review. *Anal Chim Acta*. 790:1-13.
- Yamashita N, Taniyasu S, Petrick G, Wei S, Gamo T, Lam PK, Kannan K (2008). Perfluorinated acids as novel chemical tracers of global circulation of ocean waters. *Chemosphere*. 70(7):1247-55.
- Yamashita N, Kannan K, Taniyasu S, Horii Y, Petrick G, Gamo T (2005). A global survey of perfluorinated acids in oceans. *Mar Pollut Bull*. 51(8-12):658-68.
- Yeung LW, Mabury SA (2013). Bioconcentration of aqueous film-forming foam (AFFF) in juvenile rainbow trout (*Oncorhynchus mykiss*). *Environ Sci Technol*. 47(21):12505-13.
- Zhang Q, Liu W, Niu Q, Wang Y, Zhao H, Zhang H, Song J, Tsuda S, Saito N (2016). Effects of perfluorooctane sulfonate and its alternatives on long-term potential in the hippocampus CA1 region of adult rats in vitro. *Toxicol. Res* 5: 539-46.
- Zhao W, Zitzow JD, Weaver Y, Ehresman DJ, Chang SC, Butenhoff JL, Hagenbuch B (2017). Organic Anion Transporting Polypeptides Contribute to the Disposition of Perfluoroalkyl Acids in Humans and Rats. *Toxicol Sci*. 156(1):84-95.
- Zhao W, Zitzow JD, Ehresman DJ, Chang SC, Butenhoff JL, Forster J, Hagenbuch B (2015). Na⁺/Taurocholate Cotransporting Polypeptide and Apical Sodium-Dependent Bile Acid Transporter Are Involved in the Disposition of Perfluoroalkyl Sulfonates in Humans and Rats. *Toxicol Sci*. 146(2):363-73.
- Zhao Z, Xie Z, Möller A, Sturm R, Tang J, Zhang G, Ebinghaus R (2012). Distribution and long-range transport of polyfluoroalkyl substances in the Arctic, Atlantic Ocean and Antarctic coast. *Environ Pollut*. 170:71-7.
- Zhao B, Lian Q, Chu Y, Hardy DO, Li XK, Ge RS (2011). The inhibition of human and rat 11 - hydroxysteroid dehydrogenase 2 by perfluoroalkylated substances. *J Steroid Biochem Mol Biol*. 125(1-2):143-7
- Zhu Y, Qin XD, Zeng XW, Paul G, Morawska L, Su MW, Tsai CH, Wang SQ, Lee YL, Dong GH (2016). Associations of serum perfluoroalkyl acid levels with T-helper cell-specific cytokines in children: By gender and asthma status. *Sci Total Environ*. 559:166-73.
-